



**摘要** 作為世界範圍內最普遍的垃圾管理方式，城市固體垃圾填埋場在發達國家和發展中國家有不同的技術標準。不幸的是，許多職業病和健康影響都與撿垃圾有關。因此，本研究旨在探討與印度尼西亞東爪哇前居住地別樹的城市生活垃圾垃圾填埋場的拾荒者工作事故相關的因素。使用的研究設計是橫斷面的。使用探索性因素分析和驗證性因素分析（測試結構效度。此外，一項橫斷面定量研究用於測量 154 名拾荒者。對該假設進行了檢驗，並使用結構方程模型開發了風險因素工傷模型。已收集的數據通過 IBM® SPSS AMOS 23.0 版程序進行操作。這項研究的結果提供了與垃圾填埋場管理及其對環境和健康的影響有關的信息，特別是關於拾荒者在印度尼西亞前居住地別樹的城市生活垃圾垃圾填埋場所經歷的工傷事故。本研究的結果證實，與職業事故相關的因素是工作量因素 ( $p=0.046$ )、個人因素 ( $p=0.043$ ) 和個人防護設備 ( $p=0.001$ )。這項研究的優勢在於結構方程模型的使用。結構方程建模是一組統計技術，允許同時測試一組複雜的關係。這項研究還產生了一個模型。從應用程序生成的模型顯示了五個協方差，可以進行額外研究。

**关键词:** 職業事故，拾荒者，城市固体废物填埋场

## I. INTRODUCTION

Waste management has become a global priority and an increasingly important environmental issue. Two reasons for this condition are the rapidly increasing population and urban lifestyle. With population growth and rapid urbanization, annual waste generation is expected to increase by 73% from the 2020 level of 3.88 billion tones by 2050 [1, 2]. As the most widespread method of waste management worldwide, landfills have different technology standards in developed and developing countries [3]. The modern version of the landfill is a system designed to minimize the impact of solid waste on human health and environmental health and operate to achieve deficient emission levels. Compared to developed countries, people in developing countries are more severely impacted by waste that is not managed sustainably. In low-income countries, more than 90% of waste is often disposed of in unregulated landfills or open dumping [3]. In Indonesia, management methods of landfills are still not good, and overcapacity; besides, most of the landfills in Indonesia are still operated by open dumping [4-6].

Large numbers of people in this world make a living by collecting, classifying, sorting, and then selling materials that have been thrown away as waste [2, 7]. International Labour Office estimated that around 4 million of the 19-24 million people worldwide are formally employed in waste recycling [8]. In low-income countries, waste picking is common for residents to earn an income [2]. Unfortunately, many occupational diseases and health impacts are associated with picking up waste. The risk of health impacts experienced by waste pickers include epidermal (50.0%), communicable disease (46.6%),

musculoskeletal (44.8%), respiratory disease (41.4%), non-communicable diseases (39.7%), physiological (34.5%), gastrointestinal (31.0%) and waterborne diseases (17.2%) [2]. A previous study found a significant association between waste picking and dermatological and gastrointestinal symptoms [9].

The condition of waste pickers prone to health problems and work accidents should receive special attention from the government and non-government institutions. However, in specific areas, waste pickers in Indonesia and the former Karesidenan Besuki are still not being cared for properly. It indicates that no waste pickers organizations in Indonesia registered with the world waste pickers organizations. Previous researchers from various countries carried out several studies on landfills. Therefore, it can be used to understand the author's position in research on landfill management and its impact on the environment and health, especially on work accidents experienced by waste pickers at the landfill.

## II. RESEARCH METHOD

### A. Research Object

The study was conducted at several landfill sites in the former Besuki Residency, namely Landfill in Pakusari Jember, Landfill in Paganu Taman Krocok Bondowoso, and Landfill Sliwung Situbondo. This study involved 154 waste pickers.

### B. Data Analysis

The study consists of two stages. The first stage is a preliminary study as a test of the validity and reliability of the research instrument.

The construct validity was tested using Exploratory Factor Analysis and Confirmatory Factor Analysis (CFA). The next step is data validation. The factor analysis process tries to find the relationship between independent variables. CFA is an exploratory statistical method, and it is just that the factor loading for the variables is determined based on previous studies or relevant theories. CFA then processes and measures the suitability of loading in a target matrix. Finally, CFA is carried out, taking into account the factor structure that is already positioned. CFA tests the suitability of a model with a certain number of factors and determines specific items that measure or load each factor [10].

The second stage is hypothesis testing and developing a work accident risk factor model using Structural Equation Modeling (SEM). The second stage aims to analyze the instrument, test hypotheses, and test the structural measurement model.

### C. Structural Equation Modeling

Structural Equation Modeling (SEM) can present a comprehensive model and the ability to confirm a concept's dimensions or factors through empirical indicators. Moreover, SEM can measure the influence of factors that exist theoretically. Therefore, SEM is usually seen as factor analysis and regression analysis. It can be applied separately only in factor analysis or in regression analysis.

A previous study revealed that the collected data would be further processed using the Structural Equation Modeling (SEM) program, operated through the IBM® SPSS AMOS version 23.0 program [11]. Structural equation modeling, SEM is a set of statistical techniques that allows the simultaneous testing of a complex set of relationships.

## III. RESULTS AND DISCUSSION

### A. Regression of Weight

Based on the study result, the calculated chi-square value = 826,757 indicates a greater value than the chi-square table = 135.48, which indicates that the model is not fit. It can happen because there are too many variables and indicators, and the research sample is too small. The recommended number of samples in testing using the AMOS 23 multivariate test software, which is good in the Technology Acceptance Model (TAM) method, is between 150 and 400 data [12].

Table 1.

The results of the study using the SPSS AMOS 23 statistical test

Computation of degrees of freedom (Default model)	Results
Number of distinct sample moments	153
Number of distinct parameters to be estimated	45
Degrees of freedom (153 - 45)	108
Result (Default model)	Minimum was achieved
Chi-square	826.757
Degrees of freedom	109
Probability level	0.000

The following result is a descriptive explanation to determine the regression of weight (estimate) of each variable and indicator, as follows:

#### 1) The Influence of Environmental Aspects on Accident Aspects

Figure 1 shows that the path coefficient value of the influence of the Environmental Aspects on the Accident Aspect is -1.492 (negative), and the significance value is 0.172 ( $P > 0.05$ ).




Figure 1. Conceptual model of this study. Rectangles represent measurement variables, and ellipses represent latent variables; ei: measurement error; Di: disturbance or residual

#### 2) Effect of Equipment on Accident Aspects

Figure 1 shows that the path coefficient value of the influence of the Equipment Aspect on the Accident Aspect is -0.141 (negative), and the significance value is 0.904 ( $P > 0.05$ ).

#### 3) Effect of Workload on Accident Aspects

Figure 1 shows that the path coefficient value of the influence of the Workload Aspect on the Accident Aspect is 0.274 (positive), and the significance value is 0.046 ( $P < 0.05$ ).

#### 4) The Influence of Individual Factors on Accident Aspects

Figure 1 shows that the path coefficient value of the influence of the Individual Factor Aspect on the Accident Aspect is 1.058 (positive), and the significance value is 0.043 ( $P < 0.05$ ).



significant contribution to forming the Accident Aspect is post-accident action with a product-moment value of 1.19. In other words, for every 1.0 standard

increase in the accident aspect, the post-accident action increases by 1.19 standard deviations.

Table 2. Reliability after eliminating variables and confirmatory factor analysis

Reliability analysis factor	Cronbach's alpha	Confirmatory factor analysis Observed variables	Component								
			1	2	3	4	5	6	7	8	
Environmental Aspect	0.831	Physical Environment	0.811								
		Chemical Environment	0.802								
		Biological Environment	0.759								
Aspects of Equipment and PPE	0.880	Trash picker		0.853							
		Trash bag		0.759							
		Transportation		0.855							
		PPE			0.846						
Aspects of Workload	0.740	Physical Workload				0.793					
		Psychological Workload				0.824					
Social Environment and Information Aspect	0.826	Social Environment					0.851				
		Information Aspect						0.874			
Individual Factor	0.837	Knowledge								0.853	
		Attitude								0.804	
		Practice								0.830	
Accident Aspect	0.701	Frequency of accidents								0.799	
		Due to accident								0.767	
		Accident action rate								0.812	

In the modeling, several indicators were removed, and insignificant effects were removed so that the model fit with the help of the modification indicator feature with the AMOS 23 statistical software [15, 16]. The model also explains the relationship between indicators outside of the indicator variables. The model generated from the application shows five covariances that can be additional research for further development/explanation.

It is achieved based on all the fit model requirements (Table 5). It shows that the model is fit and can be accounted for validity and reliability in the subsequent studies. The model's relationships and effects can be assessed, and parameter estimates standardized. Once the parameter estimates are standardized, they can be interpreted as a reference for other parameters in the model, and the relative strength of the paths in the model can be compared.

Number of distinct parameters to be estimated	34
Degrees of freedom (78 - 34)	44
Result (Default model)	Minimum was achieved
Chi-square	37.262
Degrees of freedom	44
Probability level	0.754

Table 3. Result (Default model)

Computation of degrees of freedom (Default model)	Result
Number of distinct sample moments	78

Table 4. Covariances (Group number 1 - Default model)

Aspects	Estimate	S.E.	C.R.	P
e11 <--> e12	.059	.021	2.822	.005
e9 <--> e11	.078	.020	3.879	***
e5 <--> e9	.087	.023	3.859	***




Figure 2. Modeling analysis using SPSS AMOS 23

Continuation of Table 4						
e5	<-->	e12	-.066	.017	-3.764	***
e6	<-->	e10	-.045	.017	-2.672	.008
Note:						
e11	<-->	e12	Aspects of attitudes related to aspects of knowledge			
e9	<-->	e11	Aspects of attitude related to physical workload			
e5	<-->	e9	Physical workload related to trash bag			
e5	<-->	e12	Knowledge aspect related knowledge aspect			
e6	<-->	e10	Waste Picker Tool related to Knowledge Aspect			

Table 5. Model fit index

The goodness of fit indices cut-off value	Indices cut-off value	Model modification results	Description
X <sup>2</sup> Chi-Square	Expected Small	37,262	Good
Probability	≥ 0,05	0,754	Good
RMSEA	≤ 0,08	0.000	Good
GFI	≥ 0,80	0,962	Good
AGFI	≥ 0,90	0,932	Good
CMIN/DF	≤ 2,00	0,847	Good
TLI	≥ 0,95	1,009	Good
CFI	≥ 0,95	1,000	Good

### C. Discussion

Pakusari landfill in Jember, Taman Krocok landfill in Bondowoso, and Sliwung landfill in Situbondo are managed under the Environmental Service of each Regional Government. The basis for regional level regulations also exists, namely Regional Regulations on Waste Management, except for Jember Regency, which does not yet have a regional regulation in solid waste. The role of local governments is vital in issuing policies on waste management like [17]. Management institutions also have a significant role. The Hygiene Section still manages the Pakusari landfill and Taman Krocok landfill.

Besides, The Technical Implementation Unit has managed the Sliwung landfill in Situbondo (UPT). Organizing activity is an effort to determine and rearrange resources, units, and methods that lead to efforts to realize policies into outcomes following the goals and objectives of the policy [18]. Technically, the landfill management method, only the Sliwung landfill in Situbondo has implemented a sanitary landfill. At the same time, the Pakusari landfill is still a Controlled Landfill; even Taman Krocok landfill is still open dumping. According to Law Number 8 of 2018, a final waste processing site (landfill) is a place to safely process and return waste to environmental media for humans and the environment. The dumping method can potentially contaminate groundwater, soil, and air pollution, including the production of greenhouse

including the production of greenhouse gases [19, 20].

Open dumping can be a habitat for animals that can potentially transmit diseases. Mammals congregating in landfills can acquire pathogens and transmit zoonotic diseases [21]. To run the landfills program, that is necessary to support landfill management. A document should guide the landfill, especially environmental management and occupational health and safety (health safety and environment). Modern landfills can be located, operated, and monitored to ensure the program runs well with federal regulations [22].

The environmental conditions of the landfill include physical, chemical, and biological conditions that can potentially endanger waste pickers during their activities in the landfill. The results showed that most of the landfill area's physical, chemical, and biological conditions (85.1%) were unsafe. Physically and chemically hazardous conditions include piles of trash, holes, burning trash, heavy equipment lines, and methane gas pipelines. Biologically dangerous conditions that are visible to the naked eye are the presence of animals that have the potential to harm waste pickers. In addition, biologically hazardous conditions can occur with the naked eye, namely bacteria, fungi, and endotoxins of small sizes (104 CFU/m<sup>3</sup> and 10 E.U./m<sup>3</sup>) [23].

Waste picker tools, trash bags, and transportation are variables in this study that contribute to the Equipment Aspect simultaneously. The greatest contribution to shaping the Equipment Aspect was waste pickers' tools. A waste picker tool is a hook tool used by waste pickers to clamp or pick up trash, making it easier to pick up the waste. It can reduce hand contact with waste. Based on previous study, waste pickers have risk to developing disease such as epidermal (50.0%), communicable disease (46.6%), musculoskeletal (44.8%), respiratory disease (41.4%), non-communicable diseases (39.7%), physiological (34.5%), gastrointestinal (31.0%) and waterborne diseases (17.2%) [2].

Based on the study results, most respondents have a moderate workload. The workload



includes physical capacity, targets at work, duration, and length of work. Workload relates to performance, which will also be related to work performance [24]. A previous study found that a workload that is considered quite heavy can affect a person's physical and psychological condition [25]. Another study also explained that a workload affects the motivation and performance of employees [26].

Based on the study results, 6.5% felt a good social environment, 48.1% felt a moderate social environment, and 45.5% felt a bad social environment. A previous study explained that the social environment would affect the respondents' satisfaction. Therefore, if the social environment is good, the respondent's satisfaction will be achieved and vice versa [27].

The overall respondent's access to information was not good. Most respondents did not participate in counseling, outreach, or obtain other information directly or through the mass media. Information about Occupational Health and Safety was obtained through counseling, socialization, and the media increased respondents' knowledge and attitudes [28].

The majority of respondents have a productive age which is the age range of respondents between 15 to 64 years. Productive age tends to have more jobs than those who do not. A comparison of productive age who works and productive age who does not work has a ratio of 2:1 [29]. A previous study found that ages belonging to the productive age usually have a higher level of productivity than those who are old. Hence, their physical possessions become weak and limited [30].

The Dictionary of Education explains that education is how a person develops the ability, attitudes, and other forms of behavior in community groups. Based on the study results, most of the respondents had low education. That is, they did not finish elementary school. The low level of education causes the knowledge possessed will below. The higher a person's education, the easier it is to absorb the information provided.

Conversely, low education will hamper the absorption of information [31]. Likewise, education also correlates with economic status. Someone with low education will have a low economic status [32].

Moreover, waste pickers do not use PPE in the form of masks. It is in line with research conducted that the respiratory problems experienced by waste pickers are caused by waste pickers not using PPE. Dust in the landfill area will be inhaled and cause respiratory problems.

Inhalation disorders felt by waste pickers are also possible because some waste pickers are smokers. Smoking and gangs ss much as 5.8% of respondents experienced visual disturbances. The visual impairment experienced was caused by the respondent not using PPE in the form of glasses when working [32].

Based on the results of the study that 47.4% have good knowledge, 39% have moderate knowledge, and 13.6% have poor knowledge. Good knowledge will influence attitudes and actions. A previous study on the application of occupational health and safety (OHS) stated that the respondent's knowledge would affect the respondent's attitude and application/action [33]. It is relevant to several studies that reveal a significant relationship between a person's knowledge of OHS and attitudes and actions. Knowledge is the basis of the formation of attitudes. One cannot be kind to something when one does not have good knowledge [33].

Most respondents have a good attitude, 19.5% have a moderate attitude, and 4.5% have a bad attitude. Attitude results from knowledge and can influence a person's actions. Attitude is one of the social cognitive factors controlled and managed by the individual, closely related to the behavior and health behavior of the individual [34].

Based on the study results, most respondents had a good practice, 24% had moderate practice, and 6.5% had a bad practice. Knowledge and attitudes can influence a person's actions will change [35]. Similar research states that the better the knowledge and attitude of a person, the better the health behavior of that person [36].

Based on the study results, the aspect of work accidents is classified in the excellent category with 98.1%. The respondents already have good knowledge of OHS, with a percentage of 47.4%. It is in line with previous research conducted before those good OHS insights can minimize work accidents in the workplace [37].

#### IV. CONCLUSION

Based on the results of this study, three variables had a statistically significant effect on work accidents on waste pickers. The three variables namely workload factors ( $p = 0.046$ ), individual factors ( $p = 0.043$ ), and personal protection equipment (PPE) ( $p = 0.001$ ). Most respondents have a moderate workload. The workload, namely physical capacity, targets at work, duration, and length of work. Waste picker tools, trash bags, and transportation are variables in this study that contribute to the Equipment Aspect simultaneously. The greatest contribution to shaping the Equipment Aspect was waste





communities-during-covid-19

- [9] UHUNAMURE, S.E., EDOKPAYI, J.N. and SHALE, K. (2021) Occupational Health Risk of Waste Pickers: A Case Study of Northern Region of South Africa. *Journal of Environmental and Public Health*, 2021, Article ID 5530064. <https://doi.org/10.1155/2021/5530064>
- [10] MUBAROK, F. and MIFTAHUDDIN, M. (2019) Psychological Well-Being Scale Construct Validity Test with Method of Confirmatory Factor Analysis (CFA). *Indonesian Journal of Psychology and Education Measurement*, 7 (1), pp. 22-32. DOI:10.15408/jp3i.v7i1.12105.
- [11] GUNADARMA UNIVERSITY (2021) *Data Processing Workshop with SEM-AMOS (Structural Equation Model) by Universitas Gunadarma's Faculty of Letters and Culture*. Gunadarma University. [Online] Available from: <https://fsastra.gunadarma.ac.id/?p=540>
- [12] SANTOSO, S. (2015) *AMOS 22 for Structural Equation Modeling: Basic Concepts and Applications*. Jakarta: Elex Media Komputindo.
- [13] SCHUBERTH, F. (2021) Confirmatory composite analysis using partial least squares: setting the record straight. *Review of Managerial Science*, 15 (5), pp. 1311-1345. DOI:10.1007/s11846-020-00405-0.
- [14] MARSH, H.W., MORIN, A.J., PARKER, P.D., and KAUR, G. (2014) Exploratory Structural Equation Modeling: An Integration of the Best Features of Exploratory and Confirmatory Factor Analysis. *Annual Review of Clinical Psychology*, 10 (1), pp. 85-110. DOI:10.1146/annurev-clinpsy-032813-153700.
- [15] SHI, D., LEE, T. and MAYDEU-OLIVARES, A. (2019) Understanding the Model Size Effect on SEM Fit Indices, *Educational and Psychological Measurement*, 79 (2), pp. 310-334. DOI:10.1177/0013164418783530.
- [16] DOGARA, G., SAUD, MS., KAMIN, Y., and NORDIN, M.S. (2020) Project-based learning conceptual framework for integrating soft skills among students of technical colleges, *IEEE Access*, 8, pp. 83718-83727. DOI:10.1109/ACCESS.2020.2992092.
- [17] MARYANTI, D.F. (2017) *Performance of Community-Based Solid Waste Management for Integrated and Sustainable Solid Waste Management: The Case of Bogor City, Indonesia*. Master of Science Thesis. UNESCO-IHE Institute for Water Education, the Netherlands, Delft.
- [18] SUDRACUN, S., MIRAWATI, M. and FIKRI, Z. (2020) Implementation of the Policy for the Integrated Non-Communicable Diseases Post Program (Posbindu PTM) at the Sinar Baru Health Center in 2018. *Journal of Public Administration*, 8 (2), pp. 368-377.
- [19] MISHRA, P., SINGP, N., SHRAMA, C. and PATHAK, A.K. (2020) Landfill Emissions and Their Impact on the Environment, *International Journal of Engineering Research & Technology*, 09 (08). <https://doi.org/10.17577/IJERTV9IS080187>
- [20] EL MAGUIRI, A. and SOUABI, S. (2021) Geomatic tools for sustainable planning: application for locating appropriate landfills, *Proceedings of the Institution of Civil Engineers: Municipal Engineer*, 174 (4), pp. 211-230. DOI:10.1680/jmuen.19.00016.
- [21] PLAZA, P.I. and LAMBERTUCCI, S.A. (2017) How are garbage dumps impacting vertebrate demography, health, and conservation? *Global Ecology and Conservation*, 12, pp. 9-20. <https://doi.org/10.1016/j.gecco.2017.08.002>
- [22] EPA (2022) *Basic Information about Landfills*. U.S. Environmental Protection Agency. [Online] Available from: <https://www.epa.gov/landfills/basic-information-about-landfills>
- [23] MADSEN, A.M., RAULF, M., DUQUENNE, P., GRAFF, P., CYPROWSKI, M., BESWICK, A., LAITINEN, S., RASMUSSEN, P.U., HINKER, M., KOLK, A., GÓRNY, R.L., OPPLIGER, A., and CROOK, B. (2021) Review of biological risks associated with the collection of municipal wastes, *Science of the Total Environment*, 791, 148287. <https://doi.org/10.1016/j.scitotenv.2021.148287>.
- [24] SPAGNOLI, P., HAYNES, N.J., KOVALCHUK, L.S., CLARK, M.A., BUONO, C., and BALDUCCI, C. (2020) Workload, workaholism, and job

- performance: Uncovering their complex relationship. *International Journal of Environmental Research and Public Health*, 17 (18), 6536. DOI:10.3390/ijerph17186536
- [25] ANEES, R.T., HEIDLER, P., CAVALIERE, L.P.L., and NORDIN, N.A. (2021) Brain Drain in Higher Education. The impact of job stress and workload on turnover intention and the mediating role of job satisfaction at universities. *European Journal of Business and Management Research*, 6 (3), pp. 1-8. DOI:10.24018/ejbmr.2021.6.3.849
- [26] RUSMIATI, E., HARJADI, D., and FITRIANI, L. K. (2021) Analysis of the Impact of Risk and Workload on Motivation and Impact on Employee Performance. *International Journal of Economics, Business and Accounting Research*, 5 (2).
- [27] DANIELS, K., WATSON, D. and GEDIKLI, C. (2017) Well-Being and the Social Environment of Work: A Systematic Review of Intervention Studies, *International Journal of Environmental Research and Public Health*, 14, 918. <https://doi.org/10.3390/ijerph14080918>
- [28] SOEI, R.S., NANGOI, G.B. and KALALO, M.Y.B. (2018) Analysis of the Effect of Net Profit Level and Company Size on Profit Response Coefficients in Manufacturing Companies on the IDX in 2013-2016. *Journal of Accounting Research*, 13 (2), pp. 251-260.
- [29] CARISSA, I.D., NANSY, E., HARIYANTO., and ASRORUDDIN, M. (2017) Incidence of Color Blindness in Pulmonary Tuberculosis Patients at the Pulmonary Disease Treatment Unit (UP4) Pontianak. *Mirrors of Medicine*, 44 (4), pp. 237-240.
- [30] APRILYANTI, A., MUDJIRAN, M. and RIDHA, M. (2017) The Relationship of Students' Self-Concept with Student's Social Behavior. *Indonesian Education Journal*, 2 (2), pp. 25-29.
- [31] UNESCO (2022) *Educational Quality in Brazil*. UNESCO. [Online] Available from: <https://en.unesco.org/fieldoffice/brasilia/experience/education-quality>
- [32] WIDIYARINI, W., PERMANA, D.J. and HUNUSALELA, Z.F. (2019) Zero Accident Implementation through Occupational Safety and Health Counseling to SMK Partners. *Journal of Community Service and Empowerment*, 02 (03), pp. 287-293. DOI:10.30998/jurnalpkm.v2i03.3645
- [33] PANGERAN, M.W., KUSTONO, D. and TUWOSO, T. (2016) Factors Affecting the Application of K3 in Machining Workshops. *Journal of Science Education*, 4 (3), pp. 90-94.
- [34] BAKANAUSKAS, A.P., KONDROTIENĖ, E., and PUKSAS, A. (2020) The Theoretical Aspects of Attitude Formation Factors and Their Impact on Health Behaviour. *Management of Organizations: Systematic Research*, 83, pp. 15-36. <https://doi.org/10.1515/mosr-2020-0002>
- [35] BURHANI, P.A., OENZIL, F. and REVILLA, G. (2016) Relationship between Mother's Knowledge Level and Fisherman's Family Economic Level with Nutritional Status of Toddlers in Air Tawar Barat Village, Padang City. *Andalas Journal Of Public Health*, 5 (3), pp. 237-240. DOI:10.25077/jka.v5i3.569.
- [36] RUHBAN, A. and RAHAYU, A.M.T. (2018) Relationship of Personal Hygiene and Use of Personal Protective Equipment with Worm Infections in Garbage Scavengers at TPA Tamangapa Makassar City. *Sulolipu: Communication Media for Academicians and Society*, 18 (2), pp. 122-129.
- [37] KALALO, S.Y., KAUNANG, W.P.J. and KAWATU, P.A.T. (2016) The Relationship between Knowledge and Attitudes about K3 and Occupational Accidents in Fishermen Groups in Belang Village, Belang District, Southeast Minahasa Regency. *Pharmacon: Indonesian Pharmacy Journal*, 5 (1), pp. 244-251.

### 参考文献:

- [1] 世界銀行 (2022) 固體廢物管理。世界銀行。[在線] 可從：<https://www.worldbank.org/en/topic/urbandevelopment/brief/solid-waste-management>
- [2] ZOLNIKOV, T.R., FURIO, F., CRUVINEL, V. 和 RICHARDS, J. (2021) 對非正式廢物拾取的系統評價：職業危害

和健康結果，廢物管理，126，第 291-308 頁。DOI:10.1016/j.wasman.2021.03.006。

[3] FERONATO, N. 和 TORRETTA, V. (2019) 發展中國家的廢物管理不善：全球問題回顧，國際環境研究與公共衛生雜誌，16，1060。https://doi.org/10.3390/ 伊傑夫 16061060

[4] BAHAGJO, M. (2019) 印度尼西亞的廢物緊急情況：印度尼西亞的垃圾填埋場處於產能過剩的邊緣。浪費 4 改變。[在線] 來 自 :

https://waste4change.com/blog/indonesias-waste-emergency-indonesias-landfills-are-on-the-verge-of-overcapacity/

[5] WAHYUNI, S. (2020) 吸煙者更容易受到新冠肺炎的影響。雅加達郵報。[在線] 來 自 : https://www.thejakartapost.com/life/2020/04/18/smokers-more-vulnerable-to-effects-of-covid-19-expert-says.html

[6] BHWANA, P.G. (2022) 漁業部門的廢物處理需要標準操作程序：非政府組織破壞性捕魚觀察。TEMPO.CO 英文版。[在線] 可 從 :

https://en.tempo.co/read/1578037/waste-handling-in-fishery-sector-requires-sop-dfw

[7] CHEN, M. 和 VASQUEZ, E.I. (2016) 良性循環：將拾荒者整合到固體廢物管理中。世界銀行博客。[在線] 來自 :

https://blogs.worldbank.org/voices/virtuous-circle-integrating-waste-pickers-solid-waste-management

[8] KAZA, S. (2020) 廢物工人在新冠肺炎期間保護我們的社區。世界銀行博客。[在線] 來自 : https://blogs.worldbank.org/sustainablecities/waste-workers-are-protecting-our-communities-during-covid-19

[9] UHUNAMURE, S.E., EDOKPAYI, J.N. 和 SHALE, K. (2021) 拾荒者的職業健康風險：南非北部地區的案例研究。環境與公共衛生雜誌，2021 年，文章 ID 5530064。https://doi.org/10.1155/2021/5530064

[10] MUBAROK, F. 和 MIFTAHUDDIN, M. (2019) 使用驗證性因素分析方法構建心理健康量表的有效性測試。印度尼西亞心理學與教育測量雜誌，7 (1)，第 22-32 頁。DOI : 10.15408/jp3i.v7i1.12105。

[11] 岡達瑪大學 (2021) 使用結構方程建模-AMOS (結構方程模型) 的數據處理研討會，由岡達瑪大學的文學和文化學院舉辦。古納達馬大學。[在線] 可 從 : https://fsastra.gunadarma.ac.id/?p=540

[12] SANTOSO, S. (2015) AMOS 22 用於結構方程建模：基本概念和應用。雅加達：艾萊克斯媒體康普廷多。

[13] SCHUBERTH, F. (2021) 使用偏最小二乘法的驗證性複合分析：直截了當。管理科學評論，15 (5)，第 1311-1345 頁。DOI:10.1007/s11846-020-00405-0。

[14] MARSH, H.W., MORIN, A.J., PARKER, P.D. 和 KAUR, G. (2014) 探索性結構方程建模：探索性和確認性因子分析的最佳特徵的整合。臨床心理學年度回顧，10 (1)，第 85-110 頁。DOI:10.1146/annurev-clinpsy-032813-153700。

[15] SHI, D., LEE, T. 和 MAYDEU-OLIVARES, A. (2019) 了解模型大小對 SEM 擬合指數的影響，教育和心理測量，79 (2)，第 310-334 頁。DOI : 10.1177/0013164418783530。

[16] DOGARA, G., SAUD, MS., KAMIN, Y. 和 NORDIN, M.S. (2020) 基於項目的學習概念框架，用於整合技術學院學生的軟技能，電氣和電子工程師協會訪問，8，第 83718-83727 頁。DOI : 10.1109/ACCESS.2020.2992092。

[17] 瑪麗安蒂, D.F. (2017 年) 基於社區的固體廢物管理在綜合和可持續固體廢物管理中的表現：印度尼西亞茂物市的案例。理學碩士論文。聯合國教科文組織-IHE 水教育研究所，荷蘭，代爾夫特。

[18] SUDRACUN, S., MIRAWATI, M. 和 FIKRI, Z. (2020) 2018 年在新光衛生中心實施綜合非傳染性疾病郵政計劃政策。公共管理雜誌，8 (2)，第 368-377 頁。

[19] MISHRA, P., SINGP, N., SHRAMA, C. 和 PATHAK, A.K. (2020) 垃圾填埋場排放及其對環境的影響，國際工程研究與技術雜誌，09 (08)。https://doi.org/10.17577/IJERTV9IS080187

[20] EL MAGUIRI, A. 和 SOUABI, S. (2021) 可持續規劃的地理工具：定位適當垃圾填埋場的申請，土木工程師學會會刊：

- 市政工程師, 174 (4), 第 211-230 頁。  
DOI:10.1680/jmuen.19.00016。
- [21] 廣場, P.I. 和 LAMBERTUCCI, S.A. (2017) 垃圾場如何影響脊椎動物的人口、健康和保護? 全球生態與保護, 12, 第 9-20 頁。  
<https://doi.org/10.1016/j.gecco.2017.08.002>
- [22] 美國環境保護署(2022) 關於垃圾填埋場的基本信息。美國環境保護署。[在線] 可從 : <https://www.epa.gov/landfills/basic-information-about-landfills>
- [23] MADSEN, A.M., RAULF, M., DUQUENNE, P., GRAFF, P., CYPROWSKI, M., BESWICK, A., LAITINEN, S., RASMUSSEN, P.U., HINKER, M., KOLK, A., GÓRNY, R.L., OPPLIGER, A. 和 CROOK, B. (2021) 與城市垃圾收集相關的生物風險回顧, 《總體環境科學》, 791, 148287。  
<https://doi.org/10.1016/j.scitotenv.2021.148287>。
- [24] SPAGNOLI, P., HAYNES, N.J., KOVALCHUK, L.S., CLARK, M.A., BUONO, C. 和 BALDUCCI, C. (2020) 工作量、工作狂和工作績效: 揭示他們的複雜關係。國際環境研究與公共衛生雜誌, 17 (18), 6536. DOI:10.3390/ijerph17186536
- [25] ANEES, R.T., HEIDLER, P., CAVALIERE, L.P.L. 和 NORDIN, N.A. (2021) 高等教育人才流失。大學工作壓力和工作量對離職意願的影響及工作滿意度的中介作用。歐洲商業與管理研究雜誌, 6 (3), 第 1-8 頁。  
DOI:10.24018/ejbm.2021.6.3.849
- [26] RUSMIATI, E., HARJADI, D. 和 FITRIANI, L. K. (2021) 分析風險和工作量對激勵和對員工績效的影響。國際經濟、商業和會計研究雜誌, 5 (2)。
- [27] DANIELS, K., WATSON, D. 和 GEDIKLI, C. (2017) 福利和工作的社會環境: 干預研究的系統回顧, 國際環境研究與公共衛生雜誌, 14, 918。  
<https://doi.org/10.3390/ijerph14080918>
- [28] SOEI, R.S., NANGOI, G.B. 和 KALALO, M.Y.B. (2018) 2013-2016 年 IDX 製造企業淨利潤水平和公司規模對利潤響應係數影響的分析。會計研究雜誌, 13 (2), 第 251-260 頁。
- [29] CARISSA, I.D., NANSY, E., HARIYANTO. 和 ASRORUDDIN, M. (2017) 坤甸肺病治療單位(向上 4) 肺結核患者的色盲發生率。醫學鏡報, 44 (4), 第 237-240 頁。
- [30] APRILIYANTI, A., MUDJIRAN, M. 和 RIDHA, M. (2017) 學生自我概念與學生社會行為的關係。印度尼西亞教育雜誌, 2 (2), 第 25-29 頁。
- [31] 聯合國教科文組織 (2022 年) 巴西的教育質量。聯合國教科文組織。[在線] 可從 : <https://en.unesco.org/fieldoffice/brasil/experience/education-quality>
- [32] WIDIYARINI, W., PERMANA, D.J. 和 HUNUSALELA, Z.F. (2019) 通過向 SMK 合作夥伴提供職業安全和健康諮詢實現零事故。社區服務與賦權雜誌, 02 (03), 第 287-293 頁。  
DOI:10.30998/jurnalpkm.v2i03.3645
- [33] PANGERAN, M.W., KUSTONO, D. 和 TUWOSO, T. (2016) 影響 K3 在加工車間應用的因素。科學教育雜誌, 4 (3), 第 90-94 頁。
- [34] BAKANAUSKAS, A.P., KONDROTIENĖ, E. 和 PUKSAS, A. (2020) 態度形成因素的理論方面及其對健康行為的影響。組織管理: 系統研究, 83, 第 15-36 頁。  
<https://doi.org/10.1515/mosr-2020-0002>
- [35] BURHANI, P.A., OENZIL, F. 和 REVILLA, G. (2016 年) 巴東市西部淡水村幼兒營養狀況與母親知識水平與漁民家庭經濟水平之間的關係。安達拉斯公共衛生雜誌, 5 (3), 第 237-240 頁。  
DOI:10.25077/jka.v5i3.569。
- [36] RUHBAN, A. 和 RAHAYU, A.M.T. (2018 年) TPA 塔曼加帕望加錫市垃圾清道夫的個人衛生和個人防護設備使用與蠕蟲感染的關係。蘇利普: 院士和社會的傳播媒體, 18 (2), 第 122-129 頁。
- [37] KALALO, S.Y., KAUNANG, W.P.J. 和 KAWATU, P.A.T. (2016) 水笠東南部貝朗區貝朗村漁民群體對 K3 的知識和態度與職業事故的關係。法爾康: 印度尼西亞藥學雜誌, 5 (1), 第 244-251 頁。